## Atty. Docket No.: 032301.440

## **AMENDMENTS TO THE CLAIMS**

## WHAT IS CLAIMED IS:

1. (Currently Amended) A flowable granular adsorbate comprising: a granular pyrogenic silicon dioxide carrier, prepared by flame hydrolysis, spray drying and a heat treatment, said carrier having a surface, and at least one substance adsorbed on said surface, or enveloped therein, selected from the group consisting of a foodstuff additive, a chemical intermediate, a feedstuff additive and a plant protection agent, wherein the silicon dioxide has the following characteristics:

Pore volume:

0.5 to 2.5 ml/g

Pore size distribution:

less than 5% of the total pore volume has a

pore diameter of less than 5 nm, remainder

meso- and macropores

pH:

3.6 to 8.5

Tamped density:

220 to 700 g/l

Average particle diameter:

10 to 120 μm

BET surface area:

 $40 \text{ to } 400 \text{ m}^2/\text{g}.$ 

- 2. (Previously Presented) The granule according to Claim 1, wherein the foodstuff additive is a member selected from the group consisting of dyestuffs, antioxidants, preservatives, emulsifiers, gelling agents, thickeners, binders, stabilizers, alkalis, acids, salts, antilumping agents, flavour intensifiers, sweeteners and aromas.
- 3. (Previously Presented) The granule according to Claim 1, wherein the plant protective agent is an herbicide, insecticide or fungicide.

- 4. (Previously Presented) The granule according to claim 2, characterized in that the silicon dioxide granule is silanized.
- 5. (Canceled)
- 6. (Previously Presented) The granule according to Claim 1 wherein the granule has meso- and macropores, the mesopores making up 10 to 80% of the total volume.
- 7. (Previously Presented) The granule according to Claim 1 having a particle size distribution of 80 volume % larger than 8 μm and 80 volume % smaller than 96 μm.
- 8. (Previously Presented) The granule according to Claim 4 which is silanized with a member selected from the group consisting of:

```
Halogeno-organosilanes of the type X_3Si(C_nH_{2n+1}) X = Cl, Br n = 1 - 20 Halogeno-organosilanes of the type X_2(R')Si(C_nH_{2n+1}) X = Cl, Br R' = alkyl n = 1 - 20 Halogeno-organosilanes of the type X(R')_2Si(C_nH_{2n+1}) X = Cl, Br R' = alkyl n = 1 - 20
```

Halogeno-organosilanes of the type  $X_3Si(CH_2)m-R'$ 

```
X = Cl, Br

m = 0,1 - 20.

R' = alkyl, aryl (e.g. -C_6H_5)

-C_4F_9, -OCF_2-CHF-CF<sub>3</sub>, -C_6F_{13}, -O-CF<sub>2</sub>-CHF<sub>2</sub>

-NH_2, -N_3, -SCN, -CH=CH_2,

-OOC(CH_3)C=CH_2

-OCH_2-CH(O)CH<sub>2</sub>

-NH-CO-N-CO-(CH_2)_5

-NH-COO-CH_3, -NH-COO-CH_2-CH<sub>3</sub>, -NH-(CH_2)_3Si(OR)_3

-S_x-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
```

```
Atty. Docket No.: 032301.440
```

```
Halogeno-organosilanes of the type (R)X<sub>2</sub>Si(CH<sub>2</sub>)m-R'
          X = Cl, Br
          R = alkyl
          m = 0.1 - 20
          R' = alkyl, aryl (e.g. -C_6H_5)
          -C<sub>4</sub>F<sub>9</sub>, -OCF<sub>2</sub>-CHF-CF<sub>3</sub>, -C<sub>6</sub>F<sub>13</sub>, -O-CF<sub>2</sub>-CHF<sub>2</sub>
          -NH_2, -N_3, -SCN, -CH=CH_2,
          -OOC(CH_3)C = CH_2
          -OCH<sub>2</sub>-CH(O)CH<sub>2</sub>
           ---NH---CO---(CH<sub>2</sub>)<sub>5</sub>---
          -NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
          -S_x-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
Halogeno-organosilanes of the type (R)<sub>2</sub>X Si(CH<sub>2</sub>)m-R'
          X = Cl, Br
          R = alkyl
          m = 0.1 - 20
          R' = alkyl, aryl (e.g. -C_6H_5)
          -C_4F_9, -OCF_2-CHF-CF<sub>3</sub>, -C_6F_{13}, -O-CF<sub>2</sub>-CHF<sub>2</sub>
          -NH_2, -N_3, -SCN, -CH=CH_2,
          -OOC(CH_3)C = CH_2
          -OCH_2-CH(O)CH_2
           -NH-CO-N-CO-(CH<sub>2</sub>)<sub>5</sub>
          -NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
          -S_x-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
Organosilanes of the type (RO)_3Si(C_nH_{2n+1})
          R = alkyl
          n = 1 - 20
Organosilanes of the type R'_x(RO)_vSi(C_nH_{2n+1})
          R = alkyl
          R' = alkyl
          n = 1 - 20
          x+y = 3
          x = 1.2
          y = 1,2
Organosilanes of the type (RO)<sub>3</sub>Si(CH<sub>2</sub>)m-R'
          R = alkyl
          m = 0.1 - 20
          R' = alkyl, aryl (e.g. -C_6H_5)
```

```
Atty. Docket No.: 032301.440
```

```
-C<sub>4</sub>F<sub>9</sub>, OCF<sub>2</sub>-CHF-CF<sub>3</sub>, -C<sub>6</sub>F<sub>13</sub>, -O-CF<sub>2</sub>-CHF<sub>2</sub>
            -NH_2, -N_3, -SCN, -CH=CH_2,
            -OOC(CH_3)C = CH_2
            -OCH<sub>2</sub>-CH(O)CH<sub>2</sub>
             -NH-CO-N-CO-(CH<sub>2</sub>)<sub>5</sub>
            -NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
            -S_x-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
Organosilanes of the type (R'')_x(RO)_ySi(CH_2)m-R'
            R'' = alkyl
            x+y=2
            x = 1,2
            y = 1,2
            -C<sub>4</sub>F<sub>9</sub>, OCF<sub>2</sub>-CHF-CF<sub>3</sub>, -C<sub>6</sub>F<sub>13</sub>, -O-CF<sub>2</sub>-CHF<sub>2</sub>
            -NH_2, -N_3, -SCN, -CH=CH_2,
            -OOC(CH_3)C = CH_2
            -OCH<sub>2</sub>-CH(O)CH<sub>2</sub>
            -NH-CO-N-CO-(CH<sub>2</sub>)<sub>5</sub>
            -NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>
            -S_x-(CH_2)_3Si(OR)_3.
```

- 9. (Canceled)
- 10. (Previously Presented) The granule according to Claim 1, characterized in that the silicon dioxide granules are silanized.
- 11. (Previously Presented) The granule according to Claim 1 in which a dyestuff is adsorbed on the surface thereof, or enveloped therein.
- 12. (Previously Presented) The granule according to Claim 1 in which an antioxidant is adsorbed on the surface thereof, or enveloped therein.
- 13. (Previously Presented) The granule according to Claim 1 in which a preservative is adsorbed on the surface thereof, or enveloped therein.
- 14. (Previously Presented) The granule according to Claim 1 in which an emulsifier is adsorbed on the surface thereof, or enveloped therein.

- 15. (Previously Presented) The granule according to Claim 1 in which a gelling agent is adsorbed on the surface thereof, or enveloped therein.
- 16. (Previously Presented) The granule according to Claim 1 in which a thickener is adsorbed on the surface thereof, or enveloped therein.
- 17. (Previously Presented) The granule according to Claim 1 in which a binder is adsorbed on the surface thereof, or enveloped therein.
- 18. (Previously Presented) The granule according to Claim 1 in which a stabilizer is adsorbed on the surface thereof, or enveloped therein.
- 19. (Previously Presented) The granule according to Claim 1 in which an alkali is adsorbed on the surface thereof, or enveloped therein.
- 20. (Previously Presented) The granule according to Claim 1 in which an acid is adsorbed on the surface thereof, or enveloped therein.
- 21. (Previously Presented) The granule according to Claim 1 in which a salt is adsorbed on the surface thereof, or enveloped therein.
- 22. (Previously Presented) The granule according to Claim 1 in which an antilumping agent is adsorbed on the surface thereof, or enveloped therein.
- 23. (Previously Presented) The granule according to Claim 1 in which a flavour intensifier is adsorbed on the surface thereof, or enveloped therein.
- 24. (Previously Presented) The granule according to Claim 1 in which a sweetener is adsorbed on the surface thereof, or enveloped therein.
- 25. (Previously Presented) The granule according to Claim 1 in which an aroma agent is adsorbed on the surface thereof, or enveloped therein.

- 26. (Previously Presented) The granule according to Claim 1 in which a feedstuff additive is adsorbed on the surface thereof, or enveloped therein.
- 27. (Previously Presented) The granule according to Claim 1 in which a chemical intermediate is adsorbed on the surface thereof, or enveloped therein.
- 28. (Previously Presented) The granule according to Claim 1 in which a plant protection agent is adsorbed on the surface thereof, or enveloped therein.
- 29. (Previously Presented) The granule according to Claim 1 in which an herbicide is adsorbed on the surface thereof, or enveloped therein.
- 30. (Previously Presented) The granule according to Claim 1 in which an insecticide is adsorbed on the surface thereof, or enveloped therein.
- 31. (Previously Presented) The granule according to Claim 1 in which a fungicide is adsorbed on the surface thereof, or enveloped therein.
- 32. (Previously Presented) The granule according to Claim 1 which is spherical.
- 33. (Previously Presented) The granule according to Claim 1 which further contains a natural or synthetic resin.
- 34. (Previously Presented) The granule according to Claim 1 which further contains at least one of an antifoam agent, a peroxide, a stabilizer, a plasticizer, a free radical interceptor and a wetting agent.
- 35. (Previously Presented) The granule according to Claim 1 wherein the silicon dioxide envelops solid particles or liquid droplets of said substance.
- 36. (Previously Presented) The granule according to Claim 1 wherein 0.001 to 200 g of substance is present per 100 g of silicon dioxide granule.

## 37-38. (Canceled)